


## CLAIMS

1. A compound of formula (I):



(I)

wherein:

A represents an optionally substituted phenyl, or an optionally substituted 5- or 6-membered heterocyclyl ring, or an optionally substituted bicyclic heterocyclyl group;

$R^1$  represents  $CO_2R^4$ ,  $CONR^5R^6$ ,  $CH_2CO_2R^4$ , optionally substituted alkyl, optionally substituted alkenyl, optionally substituted  $SO_2$ alkyl,  $SO_2NR^5R^6$ ,  $NR^5CONR^5R^6$ ,  $CONR^5R^6$ , 2H-tetrazol-5-yl-methyl or optionally substituted heterocyclyl;

$R^2$  independently represents halo, optionally substituted alkyl, CN,  $SO_2R^5$ ,  $SR^5$ ,  $NO_2$ , optionally substituted aryl,  $CONR^5R^6$  or optionally substituted heteroaryl;

$R^x$  represents optionally substituted alkyl wherein 1 or 2 of the non-hetero atoms may optionally be replaced by a group independently selected from:

wherein n is 0, 1 or 2; or  $R^x$  may be optionally substituted  $CQ_2$ -hetero- or optionally substituted  $CQ_2$ -phenyl wherein Q is independently selected from hydrogen and  $CH_3$ ;

$R^4$  represents hydrogen or an optionally substituted alkyl;

$R^5$  represents hydrogen or an optionally substituted alkyl;

$R^6$  represents hydrogen or an optionally substituted alkyl, optionally substituted  $SO_2$ aryl, optionally substituted  $SO_2$ heterocyclyl group, CN, optionally substituted  $CH_2$ aryl or  $COR^7$ ;

$R^7$  represents hydrogen, optionally substituted heteroaryl or optionally substituted aryl;

$R^8$  and  $R^9$  independently represent hydrogen or alkyl; and

n is an integer from 0 to 2;

wherein when A is a 6-membered ring the  $R^1$  and cyclopentene group are attached to carbon atoms 1,2-, 1,3- or 1,4- relative to each other, and when A is a five-membered ring or bicyclic heterocyclyl group the  $R^1$  and cyclopentene group are attached to substitutable carbon atoms 1,2- or 1,3- relative to each other; or pharmaceutically acceptable derivatives thereof.


2. A compound according to claim 1 wherein A is selected from phenyl, pyridyl, pyridazinyl, pyrazinyl and pyrimidinyl, all of which may be optionally substituted.

3. A compound according to claim 1 or claim 2 wherein  $R^1$  represents  $CO_2R^4$ , wherein  $R^4$  is hydrogen or  $C_{1-4}$ alkyl.

4. A compound according to any one of claims 1 to 3 wherein A is a six membered ring and R<sup>1</sup> is attached to the group A in the 3 position relative to the bond attaching A to the cyclopentene ring.

5

5. A compound according to any one of claims 1 to 4 which is a compound of formula (II):



(II)

10 wherein:

R<sup>1</sup> is CO<sub>2</sub>R<sup>4</sup>;

R<sup>2</sup> is halo, optionally substituted C<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkenyl, and CF<sub>3</sub>, CN, SC<sub>1-6</sub>alkyl, or SO<sub>2</sub>C<sub>1-6</sub>alkyl;

R<sup>3</sup> independently represents halo, optionally substituted OC<sub>1-6</sub>alkyl, or optionally substituted C<sub>1-6</sub>alkyl;

15

m is an integer from 0 to 3;

n is an integer from 0 to 2;

W, X, Y and Z each represents CR<sup>12</sup> or N wherein at least two of W, X, Y or Z is CR<sup>12</sup>; and when each of W, X, Y, and Z is CR<sup>12</sup> then each R<sup>12</sup> is independently selected from

20

hydrogen, halogen, NR<sup>5</sup>R<sup>6</sup>, NHCOC<sub>1-6</sub>alkyl, NHSO<sub>2</sub>C<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkyl and NR<sup>10</sup>R<sup>11</sup>, and

when at least one of W, X, Y and Z represents N then each R<sup>12</sup> is selected from hydrogen or NH<sub>2</sub>;

or pharmaceutically acceptable derivatives thereof.

25

6. A compound selected from:

{2-[5-chloro-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

30

3-{2-[5-bromo-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(3,4-dichlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-{2-[5-bromo-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

- 3-{2-[5-bromo-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[5-bromo-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 5-{2-[5-chloro-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-chloro-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-chloro-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-chloro-2-(3,4-dichlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-chloro-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-chloro-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-bromo-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-bromo-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-bromo-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-bromo-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-bromo-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-bromo-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-bromo-2-(cyclohexylmethoxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-trifluoromethyl-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-trifluoromethyl-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 5-{2-[5-trifluoromethyl-2-(cyclohexylmethoxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;  
 6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine-2-carboxylic acid;  
 6-{2-[5-chloro-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine-2-carboxylic acid;  
 6-{2-[5-chloro-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine-2-carboxylic acid;  
 6-{2-[5-chloro-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine-2-carboxylic acid;  
 3-{2-[5-methylsulfanyl-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[5-methylsulfonyl-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[5-methylsulfanyl-2-(4-fluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[5-methanesulfonyl-2-(4-fluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[5-methylsulfanyl-2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[5-methanesulfonyl-2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[2-(4-chloro-2-fluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[2-(4-methoxy-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[5-cyano-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 3-{2-[5-cyano-2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;  
 2-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;  
 6-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;  
 6-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

- 6-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;  
2-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic  
acid;  
2-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;  
5 4-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic  
acid;  
4-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;  
6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminopyrazine-2-carboxylic  
acid;  
10 2-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-  
carboxylic acid;  
2-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;  
6-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;  
3-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;  
15 6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;  
6-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic  
acid;  
6-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-  
carboxylic acid;  
20 3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;  
3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;  
3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic  
acid;  
3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic acid;  
25 3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic  
acid;  
3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-  
acetamidobenzoic acid;  
3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;  
30 3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-  
propionamidobenzoic acid;  
3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-  
propionamidobenzoic acid;  
3-{2-[5-bromo-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;  
35 3-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;  
3-{2-[5-bromo-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic  
acid;  
5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}nicotinic acid N-oxide;  
5-{2-[5-fluoro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic acid;  
40 5-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic  
acid;

- 5-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic acid;
- 5-[2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl]-2-methylbenzoic acid;
- 5-[2-(2-benzyloxy-5-chlorophenyl)-cyclopent-1-enyl]-2-propionylaminobenzoic acid;
- 5 2-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
- 2-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
- 2-{2-[5-chloro-2-benzyloxyphenyl]cyclopent-1-enyl}isonicotinic acid;
- 2-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
- 5-[2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl]-3-propionylaminobenzoic acid;
- 10 5-[2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl]-3-isobutyrylaminobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
- 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
- 15 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
- 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
- 20 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
- 6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
- 25 6-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 30 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;
- 35 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylamino benzoic acid;
- 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;
- 40 acid
- 5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;

- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;  
5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;  
5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;  
5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopenten-1-enyl}-3-acetamidobenzoic acid;  
5 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;  
5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;  
5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopenten-1-enyl}-3-(morpholin-4-yl)benzoic acid;  
10 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;  
5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;  
5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;  
15 2{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;  
2{2-[5-bromo-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;  
2{2-[5-bromo-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;  
2-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-5-amino-  
20 6-carboxylic acid;  
2-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-aminopyrazine-6-carboxylic acid;  
3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;  
3-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;  
6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;  
25 5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;  
5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopenten-1-enyl}-3-morpholin-4-ylbenzoic acid;  
5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopenten-1-enyl}-3-(morpholin-4-yl)benzoic acid;  
30 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;  
5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylamino benzoic acid;  
5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-diethylaminobenzoic acid;  
35 6-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;  
6-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;  
6-{2-[5-fluoro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;  
6-{2-[5-fluoro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;  
6-{2-[5-fluoro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;  
40 6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;  
6-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;

- 6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;
- 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-2-methylbenzoic acid;
- 5-[2-(2-(4-fluorobenzyloxy)-5-chlorophenyl)cyclopent-1-enyl]-2-methylbenzoic acid;
- 5-[2-(2-(4-fluorobenzyloxy)-5-chlorophenyl)cyclopent-1-enyl]-2-fluorobenzoic acid;
- 5-[2-(2-benzyloxy)-5-chlorophenyl]cyclopent-1-enyl]-2-fluorobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}nicotinic acid;
- 4-{2-[2-(benzyloxy)phenyl]cyclopent-1-enyl}benzoic acid;
- 4-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}benzoic acid;
- 3-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
- 3-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
- 3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
- 3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
- 3-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 3-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 3-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 2-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]-cyclopent-1-enyl}-isonicotinic acid;
- 2-{2-[2-(4-fluorobenzyloxy)phenyl]-cyclopent-1-enyl}-isonicotinic acid;
- 6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(4-bromobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2-chloro-4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2,4,6-trifluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2,6-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2-fluoro-4-trifluoromethylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(3,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2,3-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid sodium salt;
- 6-{2-[5-chloro-2-(4-methylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid sodium salt;
- 6-{2-[5-chloro-2-(4-trifluoromethylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-aminobenzoic acid;
- 2-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;
- 5-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-2-acetamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-fluorobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-2-methylbenzoic acid;

5-{2-[5-chloro-2-(2,4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5-{2-[5-chloro-2-(2,4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid;

10 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid;  
and

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid

and pharmaceutically acceptable derivatives thereof.

15

7. A pharmaceutical composition comprising a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof together with a pharmaceutical carrier and/or excipient.

20

8. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for use as an active therapeutic substance.

9. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for use in the treatment of a condition which is mediated by the action of PGE<sub>2</sub> at EP<sub>1</sub> receptors.

25

10. A method of treating a human or animal subject suffering from a condition which is mediated by the action of PGE<sub>2</sub> at EP<sub>1</sub> receptors which comprises administering to said subject an effective amount of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.

30

11. A method of treating a human or animal subject suffering from a pain, inflammatory, immunological, bone, neurodegenerative or renal disorder, which method comprises administering to said subject an effective amount of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.

35

12. A method of treating a human or animal subject suffering from inflammatory pain, neuropathic pain or visceral pain which method comprises administering to said subject an effective amount of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.

40



13. Use of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for the manufacture of a medicament for the treatment of a condition which is mediated by the action of PGE<sub>2</sub> at EP<sub>1</sub> receptors.
- 5 14. Use of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for the manufacture of a medicament for the treatment or prevention of a condition such as a pain, inflammatory, immunological, bone, neurodegenerative or renal disorder.
- 10 15. Use of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for the manufacture of a medicament for the treatment or prevention of a condition such as inflammatory pain, neuropathic pain or visceral pain.
- 15 16. A compound of formula (I) or a pharmaceutically acceptable salt or solvate thereof, according to claim 1, substantially as hereinbefore described with reference to any one of the Examples.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS

☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

☒ FADED TEXT OR DRAWING

☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING

☐ SKEWED/SLANTED IMAGES

☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS

☐ GRAY SCALE DOCUMENTS

☐ LINES OR MARKS ON ORIGINAL DOCUMENT

☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**